GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – MA&UD Department – Allegations of irregularities against the engineering staff about execution of poor quality of works and certain irregularities in the tender process adopted for entrustment of works taken up in Repalle Municipality in Guntur District - Sri M.Yedukondalu, the then Assistant Engineer, Public Health Sub-division, Repalle (Presently working in Division, Ponnur, Guntur District) and Sri T.Sampath Kumar, the then Executive Engineer, Public Health Division, Repalle Municipality, Guntur (Presently working as Superintending Engineer, Nellore Municipal Corporation, P.S. Nellore District) – Common Disciplinary Proceedings under Rule-24 of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 - Orders - Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II) DEPARTMENT

G.O.Rt.No.718 **Dated:27.09.2022.**
Read the following:-

From the GA (V&E) Department, VR No. 13 (C.No. 1302/V&E/E/2016), dt.17.06.2022.

-oOo-

O R D E R:

Whereas, the Government Servants specified below are jointly concerned in a disciplinary case, while working in Repalle Municipality, Guntur District:

1. Sri M.Yedukondalu, the then Assistant Engineer, Public Health Sub-division, Repalle (Presently working in Division, Ponnur, Guntur District)
2. Sri T.Sampath Kumar, the then Executive Engineer, Public Health Division, Guntur (Presently working as Superintending Engineer, Nellore Municipal Corporation, P.S. Nellore District)

2. Now, therefore, in exercise of the powers conferred by sub Rule (1) and (2) of Rule 24 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991, the disciplinary authority hereby directs:

i. that disciplinary action against all the said Government Servants shall be taken in a common proceedings.

ii. that Government shall function as the Disciplinary Authority for the purpose of the common proceedings and shall be competent to impose the penalties specified in Rule 9 of Andhra Pradesh Civil Services (CCA) Rules, 1991.

iii. that the procedure prescribed in Rule 20 of the Andhra Pradesh Civil Services (CCA) Rules, 1991 shall be followed in the said proceedings.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Y. SRILAKSHMI
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri M.Yedukondalu, the then AE, Public Health Sub- division, Repalle Municipality, Guntur (Presently working in Division, Ponnur, Guntur District) - **through** ENC(PH), A.P.,Tadepalli.

(P.T.O)

Sri T.Sampath Kumar, the then EE, Public Health Division, Repalle Municipality, Guntur (Presently working as Superintending Engineer, Nellore Municipal Corporation, P.S. Nellore District) - **through** ENC(Ph), A.P.,Tadepalli.
The Engineer-In-Chief (Public health), A.P., Tadepalli.

Copy to:
The General Administration (V&E) Department, A.P., Vijayawada.
The Secretary to A.P.V.C., 5th Building, A.P. Secretariat, Velagapudi.
The Municipal Commissioner, Repalle Municipality, Guntur District.
SF / SC.

//FORWARDED BY ORDER//

SECTION OFFICER.